## CONCAWE\_SCED\_13\_3\_a\_v2: Fuels, Liquid, Automotive Refuelling

## Products/activities covered by the SCED:

Filling motor vehicle outdoors with a full tank of fuel every week

Applicability of the SCED (depending on substances properties):

Determinant values refer to gasoil (diesel) as the fuel

Exposure Descriptor or	Value		
Determinant	value		
SCED characteristics			
	Fuels Liquid. Automotive Deficelling		
Name of the SCEDs	Fuels, Liquid: Automotive Refuelling		
PC/AC descriptor	PC13		
SCED code	CONCAWE_SCED_13_3_a_v2		
Code of other related SCED	CONCAWE_SCED_13_1_a_v2		
Audhan	CONCAWE_SCED_13_2_a_v2		
Author	CONCAWE		
Source of SCED			
Physical form of the product	Liquids		
Hear characteristics			
User characteristics	Covers a dult was		
Adult/child assumed	Covers adult use		
Common parameters			
Common parameters  Concentration of substance in	1		
mixture (g/g) Explanations	> 000/ of formulated product is the substance		
Frequency of use over a day	>99% of formulated product is the substance		
(event/day) Rationale	Unchanged from ECETOC TRA default value		
	52		
Frequency of use over a year (times/year)	52		
Rationale	Once/week; consistent with the 90 <sup>th</sup> percentile of 5 times per		
Kationale	month (0.17) and average of 3.1 times per month (0.1).		
Dermal Specific Parameters	monum (0.17) and average of 3.1 times per monum (0.1).		
Exposure via dermal route	Yes		
Rationale	165		
Skin Contact Area	Palm of one hand		
Rationale	Only one hand holds the fuel nozzle when re-fuelling		
Dermal transfer factor	0.005		
Rationale	This value is greater (more conservative) than the <0.001%		
Nationale	of material handled that has been measured as being		
	transferred onto the skin when refuelling cars with diesel.		
Inhalation Specific Parameters	Tanoronou onto the skin when refueiling cars with diesel.		
Exposure via inhalation route	Yes		
Exposure via illiaiation route	100		
Rationale			
Spray application?	No		
opia, application:			
Amount of Product used per	44000		
application (g/event)			
~PP.1100011011 (3/010111)			

Exposure Descriptor or Determinant	Value
Rationale	Based on 50 L fuel dispensed and density of 880 g/L. Value is consistent with reported refuelling amounts: 90 <sup>th</sup> percentile of 53 L and average of 30 L.
Exposure Time per event (hr)	0.05
Rationale	Consistent with reported refuelling time ranging from 0.3-3.5 min, with an average of 1 min.
Inhalation transfer factor	0.002
Rationale Place of use	Refuelling via contained nozzle. Leakage on nozzle insertion and withdrawal is expected to be very low. As diesel fuel has a higher boiling point and let much lower vapour pressure than gasoline, emissions are expected to be much less significant than those for gasoline.  Outdoor
Oral Specific Parameters	
Exposure via oral route	Oral exposure assumed to be negligible
Rationale	Direct oral contact will only arise from intentional ingestion of the product. Significant indirect contact is unlikely due to volatility of substance.
Volume swallowed (cm3)	N/a
Rationale	
Oral transfer Factor	N/a
Rationale	

## **CONCAWE\_SCED\_13\_3\_a\_v2:** Supporting Explanation

Self-service customers can be exposed to gas oils primarily through dermal contact from spillage when they are refuelling their cars or similar vehicles, although inhalation from vapour evaporation or vapour displacement (from the fuel tank) can also occur. Specific changes to the TRA defaults to better represent the scenario in reality while maintaining a conservative exposure prediction included the increase of the product ingredient and use amount from ECETOC TRA defaults and assumptions of weekly fuelling a full tank in a location designed to be conservative for an outdoor scenario.

Exposure Descriptor or		
Determinant	Value	Rationale
Product Characteristics		
Volatility		Typically 300 Pa at 20 °C (source product SDSs)
Product Ingredient Fraction	1	Increased above ECETOC TRA default (0.5) for fuel
(by weight)		- liquids [1]
Frequency of Use (events/day), value <1 indicates infrequent (less than daily) use *	0.14	Once/week; consistent with the 90 <sup>th</sup> percentile of 5 times per month (0.17) and average of 3.1 times per month (0.1) in a recent survey [2]. These data suggest lower values than the TRA default of 1 (daily refuelling) [1]
Dermal Specific Parameters		
Skin Contact Area (cm²)	210	Palm of one hand as only one hand holds the fuel nozzle. Based on a recent survey, 90% of respondents indicated that on no occasion or only sometimes did they have skin contact during refuelling [2]. These observations suggest a lower value than the TRA default of 857.5 cm² [1]. Consumer simulations (visualisation techniques) of the use suggest actual contact area likely to be less than 50 cm² [11].
Dermal Transfer Factor**	0.005	This value is greater (more conservative) than the <0.001% of material handled that has been measured as being transferred onto the skin [11] and the 75 <sup>th</sup> percentile of 0.00005 for hand contamination during pouring from a pesticide container [3].
Inhalation Specific Parameters		
Amount of Product used per application (g)	44000	Based on 50 L and density of 880 g/L. Value is consistent with reported refuelling amounts: 90th percentile of 53 L and average of 30 L [2] and 6-60 L [4] and 3.6-85.1 L [5]. This value is increased from the TRA default of 5000 g [1].
Exposure Time (hr)  Is product used outdoors	0.05	Set it to be greater than the 97 <sup>th</sup> percentile value for refuelling time [5]. Generally consistent with reported refuelling time ranging from 0.3-3.5 min, with an average of 1 min [4] and self-recall survey estimates based upon 2 min ranges indicating refuelling time 7 min (90 <sup>th</sup> percentiles) and 4 min (average) [2]. These observations indicate a value lower than the TRA default of 4 hr [1].  Service station
Is product used outdoors only?	169	Jervice station
Room Volume (m³)	100	100 m³ used as a conservative default volume for an outdoors scenario (consistent with Stoffenmanager ®) [6]. The TRA default is 20 m³ [1].

Exposure Descriptor or Determinant	Value	Rationale
Ventilation specified or likely due to properties (e.g. odour, etc.)- if so what type – (open window, fan)	0.6	TRA default [1] for an indoor room without ventilation.
Inhalation transfer factor (fraction of total amount handled lost to air)	0.002	Refuelling via contained nozzle. Leakage on nozzle insertion and withdrawal is expected to be very low. Estimates based upon read across from gasoline indicate that evaporative losses during refuelling would be expected to be less than 0.002. Measured emissions of 4 to 10.4 g VOC emitted per gallon of gasoline during vehicle refuelling converts to an inhalation factor of 0.001-0.004 for automobiles without vapour recovery systems [7] such as with diesel vehicles. Furthermore, as diesel fuel has a higher boiling point and much lower vapour pressure than gasoline, emissions are expected to be much less significant than those for gasoline.

<sup>\*</sup> A frequency of <1 is used for chronic exposure assessments. Exposure for the day of use would still be based upon a value of 1 or greater (if the default suggests multiple uses occur in a single day).

## References:

- 1. ECETOC (2014) ECETOC Targeted Risk Assessment (TRA) Tool, version3.1. Brussels: European Centre for Ecotoxicology and Toxicology of Chemicals (available at: http://www.ecetoc.org/tra)
- 2. CONCAWE (2014) Use of motor fuels and lubricants: habits and practices of consumers in Europe. Report No. 4/14. Brussels: CONCAWE
- HSE (2008) Pesticide containers: guidance on operator exposure considerations. London:
   Health and Safety Executive
   (<a href="http://www.pesticides.gov.uk/Resources/CRD/Migrated-Resources/Documents/P/packaging-guidance.pdf">http://www.pesticides.gov.uk/Resources/CRD/Migrated-Resources/Documents/P/packaging-guidance.pdf</a>)
- 4. Hakkola, M.A. and Saarinen, L.H. (2000) Customer exposure to gasoline vapors during refueling at service stations. *Applied Occupational and Environmental Hygiene 15, 677-680*
- 5. Vainiotalo, S. et al (1999) Customer exposure to MTBE, TAME, C6 Alkyl methyl ethers, and benzene during gasoline refueling. *Environ Health Perspect* <u>107</u>, 2, 133-140
- 6. Stoffenmanager 5.5. *A web-based exposure estimation tool*. Available at: https://www.stoffenmanager.nl/Default.aspx
- 7. Quigley, C.J. (2007) Refueling and evaporative emissions of volatile organic compounds from gasoline powered motor vehicles. Dissertation. The University of Texas at Austin. Civil Engineering. Ann Arbor, MI: ProQuest

<sup>\*\*</sup> Dermal transfer factor (DTF) represents the % of total amount handled that is transferred to the skin. If this factor is being applied in a tool with an algorithm that uses skin surface area and the thickness of the layer to calculate dermal loading, such as ECETOC TRA v3, the DTF would need to be adjusted so that the final dermal loading remains the same as when the DTF is applied to the total amount.

- 8. EPA (2003) Frequently Asked Questions on Mobile6. Document EPA420-B-03-013, page 36. Washington DC: US Environmental Protection Agency available from www.epa.gov/otaq/models/mobile6/420b03013.pdf
- 9. Wongwises, S. et al (1997) Displacement losses from the refuelling operation of passenger cars. *Thammasat Int. J. Dc. Tech 2, 1, 22-29*
- 10. Tanaka, H. et al (2008) Effects of ethanol or ETBE blending in gasoline on evaporative emissions. *Transaction of society of automotive engineers of Japan* 39, 2, 135
- 11. Galea K. et al (2013) Determination of the potential for dermal exposure from transfer of lubricants and fuels by consumers. IOM report TM/13/03. Edinburgh: Institute of Occupational Medicine. (available at <a href="http://www.iom-world.org/media/106928/iom\_tm1303.pdf">http://www.iom-world.org/media/106928/iom\_tm1303.pdf</a>)